Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine (NPS, GRD, GRI, ACAD, ACAD digital map) adapted from Maine Geological Survey Open-File Maps by Braun, Lowell, Weddle and Foley (2016)

Metadata also available as

Frequently-anticipated questions:

- What does this data set describe?
 - 1. How should this data set be cited?
 - 2. What geographic area does the data set cover?
 - 3. What does it look like?
 - 4. Does the data set describe conditions during a particular time period?
 - 5. What is the general form of this data set?
 - 6. How does the data set represent geographic features?
 - 7. How does the data set describe geographic features?
- Who produced the data set?
 - 1. Who are the originators of the data set?
 - 2. Who also contributed to the data set?
 - 3. To whom should users address questions about the data?
- Why was the data set created?
- How was the data set created?
 - 1. From what previous works were the data drawn?
 - 2. How were the data generated, processed, and modified?
 - 3. What similar or related data should the user be aware of?
- How reliable are the data; what problems remain in the data set?
 - 1. How well have the observations been checked?
 - 2. How accurate are the geographic locations?
 - 3. How accurate are the heights or depths?
 - 4. Where are the gaps in the data? What is missing?
 - 5. How consistent are the relationships among the data, including topology?
- How can someone get a copy of the data set?
 - 1. Are there legal restrictions on access or use of the data?
 - 2. Who distributes the data?
 - 3. What's the catalog number I need to order this data set?
 - 4. What legal disclaimers am I supposed to read?
 - 5. How can I download or order the data?
- Who wrote the metadata?

What does this data set describe?

Title:

Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine (NPS, GRD, GRI, ACAD, ACAD digital map) adapted from Maine Geological Survey Open-File Maps by Braun, Lowell, Weddle and Foley (2016)

Abstract:

The Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine is composed of GIS data layers and GIS tables in a 10.1 file geodatabase (acad_surficial_geology.gdb), a 10.1 ArcMap (.mxd) map document (acad_surficial_geology.mxd), individual 10.1 layer (.lyr) files for each GIS data layer, an ancillary map information document (acad_surficial_geology.pdf) which contains source map unit descriptions, as well as other source map text, figures and tables, metadata in FGDC text (.txt) and FAQ (.pdf) formats, and a GIS readme file (acad_geology_gis_readme.pdf). Please read the acad_geology_gis_readme.pdf for information pertaining to the proper extraction of the file geodatabase and other map files. To request GIS data in ESRI 10.1 shapefile format contact Stephanie O'Meara (stephanie.omeara@colostate.edu; see contact information below). The data is also available as a 2.2 KMZ/KML file for use in Google Earth, however, this format version of the map is limited in data layers presented and in access to GRI ancillary table information. Google Earth software is available for free at:

http://www.google.com/earth/index.html. Users are encouraged to only use the Google Earth data for basic visualization, and to use the GIS data for any type of data analysis or investigation. The data were completed as a component of the Geologic Resources Inventory (GRI) program, a National Park Service (NPS) Inventory and Monitoring (I&M) Division funded program that is administered by the NPS Geologic Resources Division (GRD). Source geologic maps and data used to complete this GRI digital dataset were provided by the following: Maine Geological Survey. Detailed information concerning the sources used and their contribution the GRI product are listed in the Source Citation section(s) of this metadata record (acad_surficial_geology_metadata.txt or acad_surficial_geology_metadata_faq.pdf). Users of this data are cautioned about the locational accuracy of features within this dataset. Based on the source map scale of 1:24,000 and United States National Map Accuracy Standards features are within (horizontally) 12.2 meters or 40 feet of their actual location as presented by this dataset. Users of this data should thus not assume the location of features is exactly where they are portrayed in Google Earth, ArcGIS or other software used to display this dataset. All GIS and ancillary tables were produced as per the NPS GRI Geology-GIS Geodatabase Data Model v. 2.3. (available at: https://www.nps.gov/articles/gri-geodatabasemodel.htm). The GIS data projection is NAD83, UTM Zone 19N, however, for the KML/KMZ format the data is projected upon export to WGS84 Geographic, the native coordinate system used by Google Earth. The data is within the area of interest of Acadia National Park.

Supplemental_Information:

The data layers (feature classes) that comprise the Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine

include: ACADGOL (Geologic Observation Localities), ACADSAFA (Surface Area Feature Boundaries), ACADSAF (Surface Area Features), ACADGSL (Geologic Sample Localities), ACADGPF (Geologic Point Features), ACADGFP (Glacial Feature Points), ACADATD (Geologic Attitude Observation Localities), ACADLIN (Observation, Observed Extent and Trend Lines), ACADGLF (Geologic Line Features), ACADGFL (Glacial Feature Lines), ACADHZL (Hazard Feature Lines), ACADSURA (Surficial Contacts) and ACADSUR (Surficial Units). There are three additional ancillary map components, the Surficial Geologic Unit Information Table (1:24,000 scale) (acadunit) Table, the Source Map Information Table (acadmap), and the Ancillary Map Information Document (acad_surficial_geology.pdf). Refer to the NPS GRI Geology-GIS Geodatabase Data Model v. 2.3 (available at: https://www.nps.gov/articles/grigeodatabase-model.htm) for detailed data layer (feature class) and table specifications including attribute field parameters, definitions and domains, and implemented topology rules and relationship classes. For the KML/KMZ format all or only some of the data layers are available. The KMZ file also possesses on-line links to the GRI program and its products, and to this readme document, the FAQ metadata, and the GRI ancillary map information document pertaining to this dataset/map.

1. How should this data set be cited?

National Park Service (NPS) Geologic Resources Inventory (GRI) program, 20190829, Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine (NPS, GRD, GRI, ACAD, ACAD digital map) adapted from Maine Geological Survey Open-File Maps by Braun, Lowell, Weddle and Foley (2016).

2. What geographic area does the data set cover?

West_Bounding_Coordinate: -68.5002733772 East_Bounding_Coordinate: -68.1244516277 North_Bounding_Coordinate: 44.5003230122 South_Bounding_Coordinate: 44.1250822381

3. What does it look like?

Not applicable No browse graphic provided

4. Does the data set describe conditions during a particular time period?

Calendar_Date: 29-Aug-2019

Currentness_Reference: ground condition

5. What is the general form of this data set?

Geospatial_Data_Presentation_Form: map

- 6. How does the data set represent geographic features?
 - a. How are geographic features stored in the data set?
 - b. What coordinate system is used to represent geographic features?

Grid_Coordinate_System_Name: Universal Transverse Mercator *Universal_Transverse_Mercator:*

UTM_Zone_Number: 19 *Transverse Mercator:*

Scale_Factor_at_Central_Meridian: 0.999600

Longitude_of_Central_Meridian: -69.0 Latitude_of_Projection_Origin: 0.000000

False_Easting: 500000.000000 False_Northing: 0.000000

Planar coordinates are encoded using coordinate pair Abscissae (x-coordinates) are specified to the nearest 0.000007 Ordinates (y-coordinates) are specified to the nearest 0.000007 Planar coordinates are specified in meters

The horizontal datum used is North American Datum of 1983.

The ellipsoid used is Geodetic Reference System 80.

The semi-major axis of the ellipsoid used is 6378137.000000.

The flattening of the ellipsoid used is 1/298.257222.

7. How does the data set describe geographic features?

Entity_and_Attribute_Overview:

Refer to the NPS GRI Geology-GIS Geodatabase Data Model v. 2.3 (available at: https://www.nps.gov/articles/gri-geodatabase-model.htm) for detailed feature class and table attribute field parameters, definitions and domains, and implemented relationship classes, as well as for implemented feature class topology rules.

Entity_and_Attribute_Detail_Citation:

NPS GRI Geology-GIS Geodatabase Data Model v. 2.3. (available at:

https://www.nps.gov/articles/gri-geodatabase-model.htm)

Who produced the data set?

- 1. Who are the originators of the data set? (may include formal authors, digital compilers, and editors)
 - o National Park Service (NPS) Geologic Resources Inventory (GRI) program
- 2. Who also contributed to the data set?

Stephanie O'Meara and James Winter (Colorado State University)

3. To whom should users address questions about the data?

Stephanie O'Meara Colorado State University Research Associate, Geologist/GIS Specialist/Data Manager 1201 Oak Ridge Drive, Suite 200 Fort Collins, Colorado 80525 USA

(970) 491-6655 (voice) stephanie.omeara@colostate.edu

Hours_of_Service: 9:00 a.m. to 5:00 p.m. (MST), Monday - Friday

Why was the data set created?

The data are intended to assist NPS personnel in the protection and management of Acadia National Park.

How was the data set created?

1. From what previous works were the data drawn?

MGS Open-File Map 16-19 (source 1 of 9)

Braun, Duane D., 2016, Surficial Geology of the southwestern portion of the Bar Harbor Quadrangle, Maine: Open-File Map 16-19, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source_Scale_Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-16 (source 2 of 9)

Braun, Duane D., 2016, Surficial Geology of the eastern portion of the Bartlett Island Quadrangle, Maine: Open-File Map 16-16, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source Scale Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-20 (source 3 of 9)

Braun, Duane D., 2016, Surficial Geology of the Seal Harbor Quadrangle, Maine: Open-File Map 16-20, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source_Scale_Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-14 (source 4 of 9)

Braun, Duane D., 2016, Surficial Geology of the northern portion of the Bass Harbor Quadrangle, Maine: Open-File Map 16-14, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source Scale Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-13 (source 5 of 9)

Braun, Duane D., 2016, Surficial Geology of the northern portion of the Baker Island Quadrangle, Maine: Open-File Map 16-13, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source Scale Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map

georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-15 (source 6 of 9)

Braun, Duane D., 2016, Surficial Geology of the northeastern portion of the Swans Island Quadrangle, Maine: Open-File Map 16-15, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source_Scale_Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-21 (source 7 of 9)

Braun, Duane D., Lowell, Thomas V. and Foley, 2016, Surficial Geology of the Southwest Harbor Quadrangle, Maine: Open-File Map 16-21, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source_Scale_Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-17 (source 8 of 9)

Braun, Duane D. and Weddle, Thomas K., 2016, Surficial Geology of the Newbury Neck Quadrangle, Maine: Open-File Map 16-17, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source Scale Denominator: 24000

Source_Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature

attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

MGS Open-File Map 16-18 (source 9 of 9)

Braun, Duane D. and Weddle, Thomas K., 2016, Surficial Geology of the Salsbury Cove Quadrangle, Maine: Open-File Map 16-18, Maine Geological Survey (MGS), Augusta, Maine.

Type_of_Source_Media: digital data and image

Source_Scale_Denominator: 24000

Source Contribution:

Geologic features were derived from source digital data. In addition, geologic features not present with the digital data were digitized using a TIF image of the source map georeferenced in NAD83 UTM. The source map image was also used to attribute features, as well as to check (QC) line quality, both positionally and spatially, and feature attribution. Ancillary source map text, including unit descriptions, and graphics, if present, were captured, formatted and added to the ancillary map information document. See the Process Step section for additional information.

2. How were the data generated, processed, and modified?

Date: 29-Aug-2019 (process 1 of 1)

1.) GIS features were produced from source digital data or digitized from a source map. See the Source Information Contribution section(s) for specific source map details. GIS features converted from source digital data were imported into a GRI data model compliant geodatabase. For details on the GRI data model see the NPS GRI Geology-GIS Geodatabase Data Model v. 2.3 (available at:

http://science.nature.nps.gov/im/inventory/geology/GeologyGISDataModel.cfm). GIS features captured from a source map were digitized from a TIF image of the map georeferenced in NAD83 UTM. 2.) Line quality of digitized features was checked against the source scan to ensure that GIS features were represented accurately, both positionally and spatially. Line quality of digital data was checked and if warranted edited to ensure good quality linework. 3.) Feature attribution was derived for all features using the source data attribution and the source printed/plotted map if available. 4.) Data Model topology rules were validated on all features and any topology errors corrected. 5.) Quality control (QC) consisted of checking features and their attribution against the source digital data, as well as against the source printed/plotted map if available. A GRI developed ArcObjects tool was run to check for GRI data model validation and feature-related consistency. 6.) The UNIT and MAP tables were populated and checked against the source(s). Relationship classes were also added and used to ensure attribution consistency between feature class and table attribution. 7.) Feature symbology was produced for all feature classes. An attempt was made to best match symbology to its source map, however, in some cases features symbology maybe slightly modified, primarily based on the limitations of the ArcGIS geology styles. In some cases, however, symbology may have been modified to reconcile differences from multiple sources. 8.) An ArcMap Document was produced, in part by a GRI finalize mxd tool, and layer (.lyr) files saved for all data layers. 9.) The ancillary map information PDF document, see the

Supplemental Information section for additional information, was produced from textual information and figures present on the source map(s) and/or in digital data files. If applicable, source map images were produced at 150dpi or greater resolution and optical character recognition (OCR) software was used to produce text from source map text. The text, source map images and other ancillary source map information were added to a Help & Manual (.hmxz) template file. The .hmxz file was then compiled to produce the ancillary map information document. Any compilation errors were then checked and corrected and the document was reviewed for content, usability and grammatical errors. 10.) A Google Earth .kmz/.kml file was produced from the finalized ArcMap document and geodatabase with certain UNIT table fields appended to each feature class prior to export.

Person who carried out this activity:

Stephanie O'Meara Colorado State University Research Associate, Geologist/GIS Specialist/Data Manager 1201 Oak Ridge Drive, Suite 200 Fort Collins, Colorado 80525-5589 USA

(970) 491-6655 (voice) stephanie.omeara@colostate.edu

Hours_of_Service: 9:00 a.m. to 5:00 p.m. (MST), Monday - Friday

Data sources used in this process:

- o MGS Open-File Maps 16-13, 16-14, 16-15, 16-16, 16-17, 16-18, 16-19, 16-20 and 16-21
- 3. What similar or related data should the user be aware of?

National Park Service Geologic Resources Inventory (GRI) program, 20190829, Metadata for the Unpublished Digital Surficial Geologic-GIS Map of Mount Desert Island and Vicinity, Acadia National Park, Maine (NPS, GRD, GRI, ACAD, ACAD digital map).

How reliable are the data; what problems remain in the data set?

1. How well have the observations been checked?

Feature and table attribution was derived and checked with the source map(s). Attribution was checked (QCd) for errors. Users of this data are advised to FULLY and CAREFULLY READ the "DISTRIBUTION LIABILITY" section of this metadata before using the data.

2. How accurate are the geographic locations?

Data was produced from digital source data and digitized from a georeferenced source map .TIF image(s) (300dpi). Users of this data are cautioned about the locational accuracy of features within this dataset. Based on the source map scale and United States National Map Accuracy Standards features are within (horizontally) 12.2 meters or 40 feet of their actual location as presented by this dataset. Users of this data should thus not assume the location of features is exactly where they portrayed are in ArcGIS or other software used to display this dataset. The PRECISION of any Shapefile (.shp) files is DOUBLE. The maximum root mean square (RMS) horizontal accuracy of the georeferenced image as measured in ArcMap is 0.9 meters. Coordinate tics on the georeferenced (registered and rectified) source map image(s) were checked against control points that had the exact specified coordinates of the tic. The direct distance between the image tic and its control point were measured. All measured distances were less than 50% of the required distance to meet National Map Accuracy Standards (1/50th of an inch for maps at 1:20,000 scale and smaller). Features were checked (QCd) after digitizing for positional accuracy errors using the georeferenced source map image.

3. How accurate are the heights or depths?

No vertical coordinates are present in this GRI digital dataset.

4. Where are the gaps in the data? What is missing?

All data is considered complete to the extent of the source map(s).

5. How consistent are the relationships among the observations, including topology?

GIS data in 10.1 file geodatabase and 2.2 KML/KMZ file formats.

How can someone get a copy of the data set?

Are there legal restrictions on access or use of the data?

Access_Constraints: None Use Constraints:

Not for use at scale greater than 1:24,000 (source map scale). Users of this data are cautioned about the locational accuracy of features within this dataset. Based on the source map scale and United States National Map Accuracy Standards features are within (horizontally) 12.2 meters or 40 feet of their actual location as presented by this dataset. Users of this data should thus not assume the location of features is exactly where they are portrayed in Google

Earth, ArcGIS or other software used to display this dataset.

1. Who distributes the data set? (Distributor 1 of 1)

Stephanie O'Meara Colorado State University Research Associate, Geologist/GIS Specialist/Data Manager 1201 Oak Ridge Drive, Suite 200 Fort Collins, Colorado 80525 USA

(970) 491-6655 (voice) stephanie.omeara@colostate.edu

Hours_of_Service: 8:00 a.m. to 4:00 p.m. (MST), Monday - Friday

Contact_Instructions:

GRI data are available at: http://irma.nps.gov/App/Reference/Search>

2. What's the catalog number I need to order this data set?

```
GIS map data available in 10.1 file geodatabase format (in acad_surficial_geology_gdb.zip) and in 2.2 KML/KMZ format (in acad_surficial_geology_kml.zip)
```

3. What legal disclaimers am I supposed to read?

The National Park Service shall not be held liable for improper or incorrect use of the data described and/or contained herein. These data and related graphics are not legal documents and are not intended to be used as such.

The information contained in these data is dynamic and may change over time. The data are not better than the original sources from which they were derived. It is the responsibility of the data user to use the data appropriately and consistent within the limitations of geospatial data in general and these data in particular. The related graphics are intended to aid the data user in acquiring relevant data; it is not appropriate to use the related graphics as data.

The National Park Service gives no warranty, expressed or implied, as to the accuracy, reliability, or completeness of these data. It is strongly recommended that these data are directly acquired from an NPS server and not indirectly through other sources which may have changed the data in some way. Although these data have been processed successfully on a computer system at the National Park Service, no warranty, expressed or implied is made regarding the utility of the data on another system or for

general scientific purposes, nor shall the act of distribution constitute any such warranty. This disclaimer applies to both to individual use of the data and aggregate use with other data.

4. How can I download or order the data?

Availability in digital form:

Data format: GDB (version ArcGIS 10.1) GIS (geodatabase format) map

download (acad_surficial_geology_gdb.zip) Size: 3.44

Network links: NPS Data Store, https://irma.nps.gov/DataStore/

Data format: KML/KMZ (version 2.2) Google Earth (kml/kmz format) map

download (acad_surficial_geology_kml.zip) Size: 6.14

Network links: NPS Data Store, https://irma.nps.gov/DataStore/

Data format: PDF (version 9) Ancillary Map Information Document Size:

44.19

Network links: NPS Data Store, https://irma.nps.gov/DataStore/

Data format: PDF (version 9) GIS Readme Document Size: 0.1

Network links: NPS Data Store, https://irma.nps.gov/DataStore/

Data format: PDF (version 9) FAQ Metadata File Size: 0.1 **Network links:** NPS Data Store, https://irma.nps.gov/DataStore/

Cost to order the data: None

Special instructions:

Search and download GRI data at:

<a href="mailto://irma.nps.gov/App/Reference/Search>

Who wrote the metadata?

Dates:

Last modified: 29-Aug-2019

Metadata author:

Stephanie O'Meara Colorado State University Research Associate, Geologist/GIS Specialist/Data Manager 1201 Oak Ridge Drive, Suite 200 Fort Collins, Colorado 80525-5589 USA (970) 491-6655 (voice) stephanie.omeara@colostate.edu

Hours_of_Service: 9:00 a.m. to 5:00 p.m. (MST), Monday - Friday

Metadata standard:

FGDC Content Standards for Digital Geospatial Metadata (FGDC-STD-001-1998) Metadata extensions used:

• <http://www.fgdc.gov/standards/>

Generated by mp version 2.7.19 on Tue Sep 03 11:29:28 2019